

7.5 Lesson

Core Vocabulary

trapezoid, p. 398
 bases, p. 398
 base angles, p. 398
 legs, p. 398
 isosceles trapezoid, p. 398
 midsegment of a trapezoid, p. 400
 kite, p. 401

Previous
 diagonal
 parallelogram


What You Will Learn

- ▶ Use properties of trapezoids.
- ▶ Use the Trapezoid Midsegment Theorem to find distances.
- ▶ Use properties of kites.
- ▶ Identify quadrilaterals.

Using Properties of Trapezoids

A **trapezoid** is a quadrilateral with exactly one pair of parallel sides. The parallel sides are the **bases**.

Base angles of a trapezoid are two consecutive angles whose common side is a base. A trapezoid has two pairs of base angles. For example, in trapezoid $ABCD$, $\angle A$ and $\angle D$ are one pair of base angles, and $\angle B$ and $\angle C$ are the second pair. The nonparallel sides are the **legs** of the trapezoid.



If the legs of a trapezoid are congruent, then the trapezoid is an **isosceles trapezoid**.

EXAMPLE 1 Identifying a Trapezoid in the Coordinate Plane

Show that $ORST$ is a trapezoid. Then decide whether it is isosceles.

SOLUTION

Step 1 Compare the slopes of opposite sides.

$$\text{slope of } \overline{RS} = \frac{4 - 3}{2 - 0} = \frac{1}{2}$$

$$\text{slope of } \overline{OT} = \frac{2 - 0}{4 - 0} = \frac{2}{4} = \frac{1}{2}$$

The slopes of \overline{RS} and \overline{OT} are the same, so $\overline{RS} \parallel \overline{OT}$.

$$\text{slope of } \overline{ST} = \frac{2 - 4}{4 - 2} = \frac{-2}{2} = -1 \quad \text{slope of } \overline{RO} = \frac{3 - 0}{0 - 0} = \frac{3}{0} \text{ Undefined}$$

The slopes of \overline{ST} and \overline{RO} are not the same, so \overline{ST} is not parallel to \overline{OR} .

▶ Because $ORST$ has exactly one pair of parallel sides, it is a trapezoid.

Step 2 Compare the lengths of legs \overline{RO} and \overline{ST} .

$$RO = |3 - 0| = 3 \quad ST = \sqrt{(2 - 4)^2 + (4 - 2)^2} = \sqrt{8} = 2\sqrt{2}$$

Because $RO \neq ST$, legs \overline{RO} and \overline{ST} are not congruent.

▶ So, $ORST$ is not an isosceles trapezoid.

Monitoring Progress Help in English and Spanish at BigIdeasMath.com

1. The points $A(-5, 6)$, $B(4, 9)$, $C(4, 4)$, and $D(-2, 2)$ form the vertices of a quadrilateral. Show that $ABCD$ is a trapezoid. Then decide whether it is isosceles.


Theorems

Theorem 7.14 Isosceles Trapezoid Base Angles Theorem

If a trapezoid is isosceles, then each pair of base angles is congruent.

If trapezoid $ABCD$ is isosceles, then $\angle A \cong \angle D$ and $\angle B \cong \angle C$.

Proof Ex. 39, p. 405




Theorem 7.15 Isosceles Trapezoid Base Angles Converse

If a trapezoid has a pair of congruent base angles, then it is an isosceles trapezoid.

If $\angle A \cong \angle D$ (or if $\angle B \cong \angle C$), then trapezoid $ABCD$ is isosceles.

Proof Ex. 40, p. 405




Theorem 7.16 Isosceles Trapezoid Diagonals Theorem

A trapezoid is isosceles if and only if its diagonals are congruent.

Trapezoid $ABCD$ is isosceles if and only if $\overline{AC} \cong \overline{BD}$.

Proof Ex. 51, p. 406



EXAMPLE 2 Using Properties of Isosceles Trapezoids

The stone above the arch in the diagram is an isosceles trapezoid. Find $m\angle K$, $m\angle M$, and $m\angle J$.


SOLUTION

Step 1 Find $m\angle K$. $JKLM$ is an isosceles trapezoid. So, $\angle K$ and $\angle L$ are congruent base angles, and $m\angle K = m\angle L = 85^\circ$.

Step 2 Find $m\angle M$. Because $\angle L$ and $\angle M$ are consecutive interior angles formed by \overline{LM} intersecting two parallel lines, they are supplementary. So, $m\angle M = 180^\circ - 85^\circ = 95^\circ$.

Step 3 Find $m\angle J$. Because $\angle J$ and $\angle M$ are a pair of base angles, they are congruent, and $m\angle J = m\angle M = 95^\circ$.


▶ So, $m\angle K = 85^\circ$, $m\angle M = 95^\circ$, and $m\angle J = 95^\circ$.



Monitoring Progress Help in English and Spanish at BigIdeasMath.com

In Exercises 2 and 3, use trapezoid $EFGH$.

2. If $EG = FH$, is trapezoid $EFGH$ isosceles? Explain.
3. If $m\angle HEF = 70^\circ$ and $m\angle FGH = 110^\circ$, is trapezoid $EFGH$ isosceles? Explain.




READING

The midsegment of a trapezoid is sometimes called the *median* of the trapezoid.

Using the Trapezoid Midsegment Theorem

Recall that a midsegment of a triangle is a segment that connects the midpoints of two sides of the triangle. The **midsegment of a trapezoid** is the segment that connects the midpoints of its legs. The theorem below is similar to the Triangle Midsegment Theorem (Thm. 6.8).




Theorem

Theorem 7.17 Trapezoid Midsegment Theorem

The midsegment of a trapezoid is parallel to each base, and its length is one-half the sum of the lengths of the bases.


If \overline{MN} is the midsegment of trapezoid $ABCD$, then $\overline{MN} \parallel \overline{AB}$, $\overline{MN} \parallel \overline{DC}$, and $MN = \frac{1}{2}(AB + CD)$.

Proof Ex. 49, p. 406



EXAMPLE 3 Using the Midsegment of a Trapezoid

In the diagram, \overline{MN} is the midsegment of trapezoid $PQRS$. Find MN .



SOLUTION

$$\begin{aligned} MN &= \frac{1}{2}(PQ + SR) && \text{Trapezoid Midsegment Theorem} \\ &= \frac{1}{2}(12 + 28) && \text{Substitute 12 for PQ and 28 for SR.} \\ &= 20 && \text{Simplify.} \end{aligned}$$

▶ The length of \overline{MN} is 20 inches.

EXAMPLE 4 Using a Midsegment in the Coordinate Plane

Find the length of midsegment \overline{YZ} in trapezoid $STUV$.

SOLUTION

Step 1 Find the lengths of \overline{SV} and \overline{TU} .


$$SV = \sqrt{(0 - 2)^2 + (6 - 2)^2} = \sqrt{20} = 2\sqrt{5}$$

$$TU = \sqrt{(8 - 12)^2 + (10 - 2)^2} = \sqrt{80} = 4\sqrt{5}$$

Step 2 Multiply the sum of SV and TU by $\frac{1}{2}$.

$$YZ = \frac{1}{2}(2\sqrt{5} + 4\sqrt{5}) = \frac{1}{2}(6\sqrt{5}) = 3\sqrt{5}$$

▶ So, the length of \overline{YZ} is $3\sqrt{5}$ units.




Monitoring Progress

- In trapezoid $JKLM$, $\angle J$ and $\angle M$ are right angles, and $JK = 9$ centimeters. The length of midsegment \overline{NP} of trapezoid $JKLM$ is 12 centimeters. Sketch trapezoid $JKLM$ and its midsegment. Find ML . Explain your reasoning.
- Explain another method you can use to find the length of \overline{YZ} in Example 4.

Using Properties of Kites

A **kite** is a quadrilateral that has two pairs of consecutive congruent sides, but opposite sides are not congruent.




Theorems

Theorem 7.18 Kite Diagonals Theorem

If a quadrilateral is a kite, then its diagonals are perpendicular.

If quadrilateral $ABCD$ is a kite, then $\overline{AC} \perp \overline{BD}$.

Proof p. 401




Theorem 7.19 Kite Opposite Angles Theorem

If a quadrilateral is a kite, then exactly one pair of opposite angles are congruent.

If quadrilateral $ABCD$ is a kite and $\overline{BC} \cong \overline{BA}$, then $\angle A \cong \angle C$ and $\angle B \not\cong \angle D$.

Proof Ex. 47, p. 406




STUDY TIP

The congruent angles of a kite are formed by the noncongruent adjacent sides.

PROOF Kite Diagonals Theorem

Given $ABCD$ is a kite, $\overline{BC} \cong \overline{BA}$, and $\overline{DC} \cong \overline{DA}$.

Prove $\overline{AC} \perp \overline{BD}$



STATEMENTS

- $ABCD$ is a kite with $\overline{BC} \cong \overline{BA}$ and $\overline{DC} \cong \overline{DA}$.
- B and D lie on the \perp bisector of \overline{AC} .
- \overline{BD} is the \perp bisector of \overline{AC} .
- $\overline{AC} \perp \overline{BD}$

REASONS

- Given
- Converse of the \perp Bisector Theorem (Theorem 6.2)
- Through any two points, there exists exactly one line.
- Definition of \perp bisector

EXAMPLE 5 Finding Angle Measures in a Kite

Find $m\angle D$ in the kite shown.

SOLUTION

By the Kite Opposite Angles Theorem, $DEFG$ has exactly one pair of congruent opposite angles. Because $\angle E \not\cong \angle G$, $\angle D$ and $\angle F$ must be congruent. So, $m\angle D = m\angle F$. Write and solve an equation to find $m\angle D$.

$$m\angle D + m\angle F + 115^\circ + 73^\circ = 360^\circ$$

$$m\angle D + m\angle D + 115^\circ + 73^\circ = 360^\circ$$

$$2m\angle D + 188^\circ = 360^\circ$$


$$m\angle D = 86^\circ$$

Corollary to the Polygon Interior Angles Theorem (Corollary 7.1)

Substitute $m\angle D$ for $m\angle F$.

Combine like terms.


Solve for $m\angle D$.



6. In a kite, the measures of the angles are $3x^\circ$, 75° , 90° , and 120° . Find the value of x . What are the measures of the angles that are congruent?

Identifying Special Quadrilaterals

The diagram shows relationships among the special quadrilaterals you have studied in this chapter. Each shape in the diagram has the properties of the shapes linked above it. For example, a rhombus has the properties of a parallelogram and a quadrilateral.




EXAMPLE 6 Identifying a Quadrilateral

What is the most specific name for quadrilateral $ABCD$?

SOLUTION

The diagram shows $\overline{AE} \cong \overline{CE}$ and $\overline{BE} \cong \overline{DE}$. So, the diagonals bisect each other. By the Parallelogram Diagonals Converse (Theorem 7.10), $ABCD$ is a parallelogram.



Rectangles, rhombuses, and squares are also parallelograms. However, there is no information given about the side lengths or angle measures of $ABCD$. So, you cannot determine whether it is a rectangle, a rhombus, or a square.


► So, the most specific name for $ABCD$ is a parallelogram.

READING DIAGRAMS

In Example 6, $ABCD$ looks like a square. But you must rely only on marked information when you interpret a diagram.

7. Quadrilateral $DEFG$ has at least one pair of opposite sides congruent. What types of quadrilaterals meet this condition?

Give the most specific name for the quadrilateral. Explain your reasoning.



7.5 Exercises

Vocabulary and Core Concept Check


- WRITING** Describe the differences between a trapezoid and a kite.
- DIFFERENT WORDS, SAME QUESTION** Which is different? Find “both” answers.

Is there enough information to prove that trapezoid $ABCD$ is isosceles?

Is there enough information to prove that $\overline{AB} \cong \overline{DC}$?

Is there enough information to prove that the non-parallel sides of trapezoid $ABCD$ are congruent?

Is there enough information to prove that the legs of trapezoid $ABCD$ are congruent?




Monitoring Progress and Modeling with Mathematics


In Exercises 3–6, show that the quadrilateral with the given vertices is a trapezoid. Then decide whether it is isosceles. (See Example 1.)

- $W(1, 4), X(1, 8), Y(-3, 9), Z(-3, 3)$
- $D(-3, 3), E(-1, 1), F(1, -4), G(-3, 0)$
- $M(-2, 0), N(0, 4), P(5, 4), Q(8, 0)$
- $H(1, 9), J(4, 2), K(5, 2), L(8, 9)$


In Exercises 7 and 8, find the measure of each angle in the isosceles trapezoid. (See Example 2.)



In Exercises 9 and 10, find the length of the midsegment of the trapezoid. (See Example 3.)




In Exercises 11 and 12, find AB .




In Exercises 13 and 14, find the length of the midsegment of the trapezoid with the given vertices. (See Example 4.)

- $A(2, 0), B(8, -4), C(12, 2), D(0, 10)$
- $S(-2, 4), T(-2, -4), U(3, -2), V(13, 10)$


In Exercises 15–18, find $m\angle G$. (See Example 5.)







19. **ERROR ANALYSIS** Describe and correct the error in finding DC .



20. **ERROR ANALYSIS** Describe and correct the error in finding $m\angle A$.




In Exercises 21–24, give the most specific name for the quadrilateral. Explain your reasoning. (See Example 6.)




REASONING In Exercises 25 and 26, tell whether enough information is given in the diagram to classify the quadrilateral by the indicated name. Explain.



25. rhombus



26. square




MATHEMATICAL CONNECTIONS In Exercises 27 and 28, find the value of x .




29. **MODELING WITH MATHEMATICS**

In the diagram, $NP = 8$ inches, and $LR = 20$ inches. What is the diameter of the bottom layer of the cake?




30. **PROBLEM SOLVING** You and a friend are building a kite. You need a stick to place from X to W and a stick to place from W to Z to finish constructing the frame. You want the kite to have the geometric shape of a kite. How long does each stick need to be? Explain your reasoning.




REASONING In Exercises 31–34, determine which pairs of segments or angles must be congruent so that you can prove that $ABCD$ is the indicated quadrilateral. Explain your reasoning. (There may be more than one right answer.)


31. isosceles trapezoid




32. kite



33. parallelogram




34. square



35. **PROOF** Write a proof.

Given $\overline{JL} \cong \overline{LN}$, \overline{KM} is a midsegment of $\triangle JLN$.


Prove Quadrilateral $JKMN$ is an isosceles trapezoid.




36. **PROOF** Write a proof.

Given $ABCD$ is a kite.
 $\overline{AB} \cong \overline{CB}$, $\overline{AD} \cong \overline{CD}$

Prove $\overline{CE} \cong \overline{AE}$




37. **ABSTRACT REASONING** Point U lies on the perpendicular bisector of \overline{RT} . Describe the set of points S for which $RSTU$ is a kite.



38. **REASONING** Determine whether the points $A(4, 5)$, $B(-3, 3)$, $C(-6, -13)$, and $D(6, -2)$ are the vertices of a kite. Explain your reasoning.

PROVING A THEOREM In Exercises 39 and 40, use the diagram to prove the given theorem. In the diagram, \overline{EC} is drawn parallel to \overline{AB} .



39. Isosceles Trapezoid Base Angles Theorem (Theorem 7.14)

Given $ABCD$ is an isosceles trapezoid.

$\overline{BC} \parallel \overline{AD}$

Prove $\angle A \cong \angle D$, $\angle B \cong \angle C$


40. Isosceles Trapezoid Base Angles Converse (Theorem 7.15)

Given $ABCD$ is a trapezoid.

$\angle A \cong \angle D$, $\overline{BC} \parallel \overline{AD}$

Prove $ABCD$ is an isosceles trapezoid.

41. **MAKING AN ARGUMENT** Your cousin claims there is enough information to prove that $JKLM$ is an isosceles trapezoid. Is your cousin correct? Explain.



42. **MATHEMATICAL CONNECTIONS** The bases of a trapezoid lie on the lines $y = 2x + 7$ and $y = 2x - 5$. Write the equation of the line that contains the midsegment of the trapezoid.

43. **CONSTRUCTION** \overline{AC} and \overline{BD} bisect each other.


a. Construct quadrilateral $ABCD$ so that \overline{AC} and \overline{BD} are congruent, but not perpendicular. Classify the quadrilateral. Justify your answer.

b. Construct quadrilateral $ABCD$ so that \overline{AC} and \overline{BD} are perpendicular, but not congruent. Classify the quadrilateral. Justify your answer.

44. **PROOF** Write a proof.

Given $QRST$ is an isosceles trapezoid.


Prove $\angle TQS \cong \angle SRT$



45. **MODELING WITH MATHEMATICS** A plastic spiderweb is made in the shape of a regular dodecagon (12-sided polygon). $\overline{AB} \parallel \overline{PQ}$, and X is equidistant from the vertices of the dodecagon.

a. Are you given enough information to prove that $ABPQ$ is an isosceles trapezoid?

b. What is the measure of each interior angle of $ABPQ$?



46. **ATTENDING TO PRECISION** In trapezoid $PQRS$, $\overline{PQ} \parallel \overline{RS}$ and \overline{MN} is the midsegment of $PQRS$. If $RS = 5 \cdot PQ$, what is the ratio of MN to RS ?

(A) 3 : 5

(B) 5 : 3

(C) 1 : 2

(D) 3 : 1